



Soils Map



Soils data provided by USDA and NRCS.



State: **Kansas**
 County: **Smith**
 Location: **26-4S-13W**
 Township: **Banner**
 Acres: **79.81**
 Date: **8/16/2016**



Maps Provided By:



© AgriData, Inc. 2016

www.AgriDataInc.com



Area Symbol: KS183, Soil Area Version: 12

| Code | Soil Description | Acres | Percent of field | Non-Irr Class *c | Irr Class *c | Range Production (lbs/acre/yr) | Grain sorghum | Winter wheat | Alfalfa hay | Corn | Smooth brome |
|-------------------------|---|-------|------------------|------------------|--------------|--------------------------------|---------------|--------------|-------------|------------|--------------|
| 2613 | Harney silt loam, 1 to 3 percent slopes | 30.22 | 37.9% | Ile | Ile | 3455 | | | | | |
| 2623 | Harney-Mento complex, 3 to 7 percent slopes | 18.69 | 23.4% | IIle | IIle | 2725 | | | | | |
| 2235 | Roxbury silt loam, frequently flooded | 10.48 | 13.1% | IIIw | IIw | 4370 | | | | | |
| 2672 | Holdrege silty clay loam, 3 to 7 percent slopes, eroded | 9.97 | 12.5% | IIle | IIle | 3600 | 35 | 28 | 2 | 23 | |
| 2546 | Brownell gravelly loam, 2 to 10 percent slopes | 3.41 | 4.3% | VIe | | 3000 | 20 | 20 | | | |
| 2953 | Wakeen silt loam, 3 to 7 percent slopes | 3.20 | 4.0% | IVe | | 2500 | 36 | 25 | | | 3 |
| 2233 | Roxbury loam, channeled | 2.14 | 2.7% | Vw | | 5000 | 40 | 30 | | | 4 |
| 3755 | Hord silt loam, rarely flooded | 1.70 | 2.1% | IIc | I | 3500 | | | | | |
| Weighted Average | | | | | | 3407 | 7.7 | 6.2 | 0.2 | 2.9 | 0.2 |

Area Symbol: KS183, Soil Area Version: 12

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.